

ANEXA 3 Rezultatele analizelor efectuate de DSP SIBIU privind calitatea apei furnizata de fantani publice - 2022

Fântăna publică	Data recoltării	Localitate	Latitudine	Longitudine	pH, U	Turbiditate, UNT	Oxidabilitate, md O ₂ /l	Conductivitate, µS/cm la 20°C	Duritate Totala MMOL/L	Amoniu, mg/l	Azotiti, mg/l	Azotati, mg/l	Bacterii Coliforme	E coli	nrColonii la 37°C/ml	nrColonii la 22°C/ml	Enterococi	apa conforma I=DA 2=Nu
1	22.03.2022	IACOBENI	46.056027	24.713631	7.05	1.44	1.63	2,040	7.00	< 0.05	< 0.02	355.35	150	0	34	28	0	2
2	22.03.2022	NETUŞ	46.057447	24.783080	7.33	2.09	1.80	871	3.24	< 0.05	< 0.02	82.42	80	0	40	68	0	2
3	22.03.2022	NETUŞ	46.062646	24.789369	7.16	10.60	3.10	877	3.56	< 0.05	0.03	90.22	150	0	76	80	0	2
4	22.03.2022	STEJĂRIŞU	46.034981	24.684003	7.16	1.95	1.80	1,054	5.52	< 0.05	0.05	63.20	160	0	60	94	0	2
5	30.03.2022	VURPĂR	45.892300	24.329340	7.03	3.72	1.96	896	0.07	0.05	0.02	99.10	70	0	24	18	10	2
6	12.04.2022	ALMA VII	46.048400	24.430900	7.32	20.10	1.13	1,114	3.30	< 0.05	0.04	96.92	80	0	23	18	0	2
7	17.05.2022	ALMA	46.210810	24.475210	6.86	2.19	1.14	1,033	5.22	< 0.05	< 0.02	68.36	120	0	94	70	0	2
8	25.05.2022	APOŞ	46.026730	24.553990	7.16	1.13	1.63	610	3.34	< 0.05	< 0.02	4.51	0	0	20	22	0	1
9	25.05.2022	APOŞ	46.027430	24.553570	7.24	19.10	3.27	674	3.88	0.41	0.07	< 2.05	70	0	40	80	0	2
10	25.05.2022	PELIŞOR	46.046060	24.518780	7.32	2.05	2.12	874	4.70	0.05	0.09	17.54	60	20	45	36	20	2
11	25.05.2022	PELIŞOR	46.045750	24.514160	7.32	0.94	1.31	527	3.42	< 0.05	< 0.02	10.57	0	0	5	16	0	1
12	08.06.2022	FOFELDEA	45.900080	24.458910	6.98	1.81	1.92	1,349	6.50	< 0.05	0.17	222.64	270	60	120	80	50	2
13	08.06.2022	FOFELDEA	45.888840	24.452030	7.24	1.71	1.60	614	1.98	< 0.05	0.20	70.55	240	100	40	34	40	2
14	08.06.2022	FOFELDEA	45.837110	24.501930	7.09	1.25	1.60	867	4.28	< 0.05	< 0.02	43.95	170	30	38	20	0	2
15	15.06.2022	BIERTAN	46.832131	24.312212	7.09	1.32	2.56	1,200	4.16	< 0.05	0.29	28.31	0	0	0	0	0	1
16	15.06.2022	BIERTAN	46.825171	24.314294	7.12	7.56	3.84	1,074	4.30	< 0.05	0.15	4.22	0	0	0	0	0	2
17	15.06.2022	COPSA MARE	46.813679	24.325517	7.01		3.20	1,599	6.90	< 0.05	0.10	200.40	0	0	36	42	0	2
18	11.07.2022	RĂŞINARI	45.702630	24.066890	6.35	0.78	<0.50	343	1.80	< 0.05	< 0.02	4.57	0	0	0	0		1
19	12.07.2022	BUJA	45.973804	24.276844	7.37	16.50	0.65	728	3.64	0.80	0.03	< 2.05	30	10	18	34	0	2
20	12.07.2022	BUJA	45.977468	24.278389	7.49	1.34	< 0.05	910	2.70	2.49	< 0.02	< 2.05	0	0	0	0	0	2
21	24.08.2022	AȚEL	46.161483	24.485157	6.86	164	20.16	394	3.5	0.37	0.22	18.38	140	90	86	44	100	2
22	29.08.2022	E	45.754810	23.926530	7.05	2.48	0.80	1,301	0.56	< 0.05	0.02	29.55	180	21	84	60	50	2
23	29.08.2022	VALE	45.791430	23.885480	6.31	0.38	0.96	236	1.00	< 0.05	< 0.02	8.41	0	0	0	0	0	1
24	29.08.2022	GALEŞ	45.797170	23.861870	6.51	1.99	0.64	99	0.60	< 0.05	< 0.02	4.99	30	10			0	
25	08.11.2022	TÂRNAVA	46.133460	24.299650	6.92	1.06	0.96	1,363	5.18	< 0.05	< 0.02	174.12	30	0	18	24	0	2

ANEXA 4 Rezultatele analizelor efectuate de DSP SIBIU privind calitatea apei furnizata de surse arteziene publice - 2022

Sursă artezia nă	Data recoltării	Localitate	Latitudine	Longitudine	pH, U	Turbiditate, UNT	Oxidabilit ate, md O ₂ /l	Conductivi tate, µS/cm la 20°C	Duritate Totala	Amoniu, mg/l	Azotiti mg/l	Azotati mg/l	Bacterii Coliform e	Ecoli	nr Colonii la 37°C/ml	nr Colonii la 22°C/ml	Enteroc oci	apa conforma I=DA 2=Nu
1	30.03.2022	VURPĂR	45.898000	24.335270	6.53	3.67	1.8	217	1.36 < 0.05	< 0.02	19.34	0	0	0	124	86	0	1
2	30.03.2022	VURPĂR	45.896840	24.339210	6.97	2.86	2.12	701	3.5 < 0.05	0.02	24.35	0	0	0	0	0	0	1
3	30.03.2022	VURPĂR	45.889360	24.334650	6.85	2.9	2.29	406	2.24 < 0.05	< 0.02	31.45	0	0	0	0	0	0	1
4	12.04.2022	MOȘNA	45.083900	24.405800	7.51	1.05	1.13	699	3.8 < 0.05	< 0.02	5.68	0	0	0	0	0	0	1
5	04.05.2022	POIANA SIBIULUI	45.797960	23.715770	7.59	0.85	2.29	54.9	0.18 < 0.05	< 0.02	5.26	0	0	0	10	4	0	1
6	04.05.2022	POIANA SIBIULUI	45.180891	23.742940	6.3	0.8	1.47	76.1	0.3 < 0.05	< 0.02	17.56	30	10	40	22	22	0	2
7	04.05.2022	POIANA SIBIULUI	45.797960	23.715770	7.69	0.76	2.12	50.9	0.16 < 0.05	< 0.02	2.98	0	0	0	30	20	0	1
8	11.05.2022	BAZNA	46.206550	24.283360	6.95	0.84	1.14	1392	7.92 < 0.05	< 0.02	39.47	0	0	0	0	0	0	1
9	11.05.2022	BOIAN	46.210310	24.245620	7.08	0.97	1.14	766	4.66 < 0.05	< 0.02	15.54	0	0	0	0	0	0	1
10	18.05.2022	ALTÂNA	45.920520	24.459450	6.26	2.38	0.98	243	0.96 < 0.05	0.07	16.08	190	70	82	70	40	40	2
11	18.05.2022	GIJASA DE SUS	45.980020	24.417930	7.08	2.1	1.14	687	3 < 0.05	< 0.02	8.12	20	0	46	30	0	0	2
12	18.05.2022	GIJASA DE SUS	45.973890	24.415490	7.09	4.12	0.82	727	4.4 < 0.05	< 0.02	< 2.05	80	30	63	50	20	20	2
13	08.06.2022	HOSMAN	45.830810	24.420120	6.78	1.1	0.96	303	1.6 < 0.05	< 0.02	19.29	180	30	72	60	20	20	2
14	08.06.2022	HOSMAN	45.832720	24.429610	6.76	0.85	1.6	680	2.82 < 0.05	< 0.02	83.43	180	30	72	60	20	20	2
15	15.06.2022	BIERTAN	46.816056	24.325455	7.02	0.7	4.16	1059	6.3 < 0.05	< 0.02	3.44	170	30	70	52	20	20	2
16	25.05.2022	APOȘ	46.029290	24.554790	7.43	2.68	1.63	631	3.64	0.12 < 0.02	< 2.05	0	0	15	10	0	0	1
17	11.07.2022	PĂLTINIȘ	45.651700	23.932530	6.99	0.26 < 0.50	44.4	44.4	0.2 < 0.05	0.02	2.59	150	30	74	32	0	0	2
18	12.07.2022	SEICA MARE	46.019967	24.150717	7.03	0.73 < 0.5	1446	1446	7.32 < 0.05	< 0.02	184	170	50	60	94	30	30	2
19	12.07.2022	SEICA MARE	46.020313	24.152672	7.34	5.04 < 0.5	757	757	4.3 < 0.05	< 0.02	10.75	260	40	84	110	20	20	2
20	22.08.2022	TĂLMACIU	46.655130	24.269020	7.27	0.63 < 0.50	628	628	4 < 0.05	< 0.02	9.83	0	0	36	22	0	0	1
21	24.08.2022	AȚEL	46.161483	24.485157	6.46	2.16	1.6	812	3.26	0.22	5.07	200	60	124	83	70	70	2
22	29.08.2022	FÂNTÂNELE	45.757150	23.920920	6.86	0.78	1.76	61	0.42 < 0.05	0.02	8.91	120	20	72	46	10	10	2
23	29.08.2022	AMNAȘ	45.797170	23.861870	7.19	9.2	1.92	1080	1.16	3.96	3.04	220	90	48	13	60	60	2
24	08.11.2022	LASLEA	46.206820	24.657420	6.91	0.83	0.96	770	4.82 < 0.05	< 0.02	6.2	160	40	40	64	0	0	2
25	15.11.2022	RICHIȘ	46.094850	24.476120	6.98	0.43	1.14	719	4.5	0.05 < 0.02	4.25	180	60	38	20	0	0	2